

JP 49-102647

JP 49-102,647

[Claims only, as requested]

Translated from Japanese by the Ralph McElroy Co., Custom Division
P.O. Box 4828, Austin, Texas 78765 USA

Code: 282-54105

JAPANESE PATENT OFFICE

PATENT JOURNAL

KOKAI PATENT APPLICATION NO. SHO 49[1974]-102647

Japanese Cl.:

16 C86
16 E311
16 E41
30 B0
30 B4
30 B5
13(9)G1
13(9)G411

Sequence Nos. for Office Use:

6742 43
7192 44
6224 44
7043 44
7043 44
7043 44
6518 4A
6518 4A

Application No.:

Sho 48[1973]-17417

Application Date:

February 14, 1973

Publication Date:

September 27, 1974

No. of Inventions:

(Total of 10 pages)

Examination Request:

Not requested

METHOD FOR THE MANUFACTURE OF PROSTAGLANDIN COMPOUNDS

Inventors:

Masaki Hayashi
32-408 Nanpeidai
Takatsuki, Osaka

Hajimu Mitake
379 Oaza Higashi
Suita, Osaka

Yoshinobu Arai
6-13-28 Honmachi
Toyonaka, Osaka

Fusako Tanouchi
37-4 Towacho
Takatsuki, Osaka

Applicant:

Ono Yakuhin Kogyo K.K.
2-14 Toshomachi
Higashiku, Osaka
Osaka


Agents:

Akira Akata, patent
attorney


[Amendments have been incorporated into the text of the
translation]

Claim

Method for the manufacture of prostaglandin compounds
represented by the general formula,



from alicyclic esters of the general formula,



by hydrolysis under acidic and also basic conditions in any order, wherein, in the general formulas, R_1 represents 2-tetrahydropyranyl, 2-tetrahydrofuranyl, or a 1-ethoxyethyl group; R_2 represents an acyl group; R_3 represents a lower alkyl group; R_4 represents a n-pentyl, n-hexyl, or n-heptyl group; X and Y represent $-\text{CH}_2\text{CH}_2-$ or $-\text{CH}=\text{CH}-$.